



Ace HT2



Specifications

Gearbox Gea	ater cooled engine
Max engine torque Fuel tank capacity (litres) TRANSMISSION AND STEERING Clutch Gearbox GBS 65-4/6 Gearbox Type 4 speed man Steering Mechanical steering Mechanical steering Front Parabolic lea Shock absorber BRAKES Front Disc brakes Type 145 R12 LT steering Max engine torque 38 Nm @ 20 30 30 TRANSMISSION AND STEERING Single plate GBS 65-4/6 A speed man Mechanical steering Mechanical steering Mechanical steering Disc brakes Type 145 R12 LT steering Type Type	
TRANSMISSION AND STEERING Clutch Single plate Gearbox GBS 65-4 / 6 Steering Mechanical steering Mechanical steering SUSPENSION Front Parabolic lear Shock absorber Hydraulic do BRAKES Front Disc brakes WHEELS & TYRES	00 rpm
TRANSMISSION AND STEERING Clutch Gearbox GBS 65-4 / 6 Gype 4 speed man Mechanical steering Mechanical steering SUSPENSION Front Parabolic lea Bhock absorber Hydraulic do BRAKES Front Disc brakes Grunn brakes WHEELS & TYRES	00 rpm
Clutch Gearbox GBS 65-4 / 6 Gype 4 speed mar Steering Mechanical steering SUSPENSION Front Parabolic lea Gear Ghock absorber Ghock absorber BRAKES Front Disc brakes Grant Drum brakes Gype 145 R12 LT 6	
Gearbox Gearbox GBS 65-4 / 6 Type 4 speed mar Mechanical sections SUSPENSION Front Parabolic lease Rear Parabolic lease Shock absorber Hydraulic do BRAKES Front Disc brakes Rear Drum brakes Type 145 R12 LT 6	
Type 4 speed man Steering Mechanical s SUSPENSION Front Parabolic lea Rear Parabolic lea Shock absorber Hydraulic do BRAKES Front Disc brakes Rear Drum brakes Type 145 R12 LT a	dry friction diaphragm type
Steering SUSPENSION Front Parabolic leaser P	5.31
SUSPENSION Front Parabolic leader Rear Parabolic leader Shock absorber Hydraulic do BRAKES Front Disc brakes Rear Drum brakes WHEELS & TYRES	nual transmission
Front Parabolic lease Rear Parabolic lease Rear Parabolic lease Rear Parabolic lease Parabolic	steering
Rear Parabolic lea Shock absorber Hydraulic do BRAKES Front Disc brakes Rear Drum brakes WHEELS & TYRES	
Bhock absorber BRAKES Front Disc brakes Rear Drum brakes WHEELS & TYRES Type 145 R12 LT 8	af spring
BRAKES Front Disc brakes Rear Drum brakes WHEELS & TYRES Type 145 R12 LT 8	af spring
Front Disc brakes Rear Drum brakes WHEELS & TYRES Type 145 R12 LT 8	ouble acting telescopic type
Rear Drum brakes WHEELS & TYRES Type 145 R12 LT 8	
WHEELS & TYRES Type 145 R12 LT 8	
Type 145 R12 LT 8	
DIMENSIONS	BPR RADIAL
DIMENSIONS	
Wheelbase (mm) 2100	/0
/ehicle dimensions (l*b*h) 3800 mm x	1500 mm x 1845 mm

	Cargo box dimensions (I*b*h)	2140 mm x 1430 mm x 300 mm
(WEIGHTS	
	GVW (Kg)	1550
	Payload (Kg)	710
(PERFORMANCE	
	Grade ability	22%
·	Top speed (kmph)	60

For more information, please contact:

TATA MOTORS

International Business, One Indiabulls, Tower 2A, 14th Floor 841, S.B Marg, Elphinstone Road, Mumbai 400 013